

Notice of Allowability

Application No.

10/501,423

Examiner

Binh V. Ho

Applicant(s)

GEIJTENBEEK ET AL.

Art Unit

2163

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 11/17/2006.
2. ☒ The allowed claim(s) is/are 1-15 and 20-22.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).


* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


DON WONG
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100

DETAILED ACTION

Examiner's Amendment

1. An examiner's amendment to the record appears below. Should the changes and /or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.3.12. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
2. The following claim has been amended upon agreement by applicant during a telephone conversation with Mr. Frank Keegan on 02/08/2007.

Amendments to claim 1:

Claim 1 (Currently Amended):

Metal halide lamp with an aspect ratio Li/Di greater than 3, comprising a discharge chamber having walls sealingly enclosing the discharge chamber; two electrodes arranged in the discharge chamber opposite each other, for burning an arc therebetween; the discharge chamber containing a saturated system comprising an excess amount of salt, such that during operation of the lamp, a salt pool of melted salt will be present inside the discharge chamber; the lamp being designed such that, when the lamp is operative in a vertical orientation, the location of the salt pool is closer to the top than the bottom of the discharge chamber.

3. The Examiner's amendment has been made in order to place the application in a condition for allowance.

Reasons for Allowance

4. The following is an examiner's statement of reason for allowance:

Claim 1 is considered allowable since the prior made of record and considered pertinent to the applicant's disclosure does not teach or suggest the claimed limitations. Geijtenbeek (U.S. 6,147,453) or Graham (U.S. 5,083,059) or Aldermam (U.S. 6,844,676) or Kawashima (U.S. 6,294,870) or Liebe (U.S. 4,621,216), taken individually or in combination, do not teach the claimed invention having metal halide lamp with an aspect ratio Li/Di greater than 3, comprising a discharge chamber having walls sealingly enclosing the discharge chamber; ***the location of the salt pool is closer to the top than the bottom of the discharge chamber.***

Therefore, claims 1-15, and 20-22 *are* presently allowed.

5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Inquiry

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Binh V. Ho whose telephone number is 571 272 8583. The examiner can normally be reached on M-F from 8:00AM - 4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Don K. Wong can be reached on 571 272 1834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Binh V Ho
Examiner
Art Unit 2163



DON WONG
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100